MARSHALL, GERSTEIN & BORUN LLP ATTORNEYS AT LAW 6300 SEARS TOWER 233 SOUTH WACKER DRIVE CHICAGO, ILLINOIS 60606-6357 (312) 474-6300

Amend-2 Q2-07

FAX: (312) 474-0448 6/11/2008

FACSIMILE TRANSMISSION SHEET

AF - Non-Final OA

TO: U.S. Patent and Trademark Office - Examiner B.C. Wang

1-571-270-2240

FROM: Andrew R. Smith

RE: U.S. Application No.: 10/802,586

PAGES (INCLUDING THIS PAGE): 12

Please confirm receipt of this facsimile. Thanks!

If you do not receive all pages of this fax in good condition, please contact Rachelle Hammerquist at (312) 474-6300.

This transmission contains conflictual information intended only for the addressee. If you are not the addressee, any disclosure or use of this information by you is strictly prohibited. If you have received this facsimile in error, please notify us by telephone immediately.

I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being transmitted by (occimite to the Fights) and Trademark Office, facularities or (2/17) 201-2240, on the date shown of the Committee of the

Docket No.: 31146/MP1502 (PATENT)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of: Ioel D. Munter et al.

Application No.: 10/802,586 Confirmation No.: 5149

Filed: March 17, 2004 Art Unit: 2192

For: POWER AND/OR ENERGY OPTIMIZED Examiner: B. C. Wang COMPILE/ EXECUTION

INTERVIEW AGENDA

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Sir:

On June 12, 2008, Andrew R. Smith (Registration # 62,162) has scheduled an interview at 4 p.m., EDT with Examiner Wang of the United States Patent and Trademark Office. The topics for discussion will be the rejection of claims 1-30 under 35 U.S.C. \$103(a) and the enclosed set of proposed claims.

Dated: June 10, 2008 Respectfully submitted,

Andrew R. Smith

Registration No.: 62,162 MARSHALL, GERSTEIN & BORUN LLP

233 S. Wacker Drive, Suite 6300

Sears Tower

Chicago, Illinois 60606-6357

(312) 474-6300

Attorney for Applicant

Application No.: 10/802,5 Examiner: Ben C. Wang Tentative Participants: (1) Andrew R. Smith (3)	A	First Named Applicant: It Unit: 2192 (2)	Status of Applicat		
(1) Andrew R. Smith				120	
(3)		(4)			
				-	
Proposed Date of Interview:	June 12, 2008	Proposec	4:00, Time: EDT		
Type of Interview Requested: (1) X Telephonic (2)	_	(3) Video Co	nference		
Exhibit To Be Shown or Demonstrated: YES X NO					
If yes, provide brief description	n:				
Issues To Be Discussed					
Issues Clai (Rej., Obj., etc) Fig.		Prior Art	Discussed	Agreed	Not Agreed
(1) Rejection	1-30	Kramskoy (2002/0112227)			
(2)					
(3)					
(4)	-				
Continuation Sheet Atta	ched				
Brief Description of Arguments to be Presented:					
The combination of Chauvel (2004/0010785) and Kramskoy does not teach or suggest the recitations of claims 1-30 generally and, in particular, regarding claim 1, the claimed "replacing an object code segment" and the proposed amendment to claim 11.					
An interview was conducted on the above-identified application on					
NOTE: This form should be completed by applicant and submitted to the examiner in advance of the interview (see MPEP §713.01).					
This application will not be delayed from issue because of applicant's failure to submit a written record of this interview. Therefore, applicant is advised to file a statement of the substance of this interview (37 CFR 1.133(b))					
as soon as possible.	1 25				
Applicant/Applicant's	Representative Sig	nature	Examiner/	SPE Signature	
Andrew R. Smith					
Typed/Printed Name of Applicant or Representative					
	,162 nber, if applicable				

Application No. 10/802,586 Attorney Docket No. 31146/MP1502

PROPOSED CLAIMS FOR 10/802,586

(Previously presented) A method comprising:

receiving a plurality of non-native instructions in a selected one of a source form and an intermediate form; and

compiling the plurality of non-native instructions to generate object code for the nonnative instructions, wherein compiling the plurality of non-native instructions includes replacing an object code segment from the generated object code with an alternative object code segment if the alternative object code segment improves at least a selected one of a power level required and an amount of energy required to execute the generated object code in a target execution environment.

- (Original) The method of claim 1, wherein said receiving comprises receiving the nonnative instructions in a byte code form.
- (Previously presented) The method of claim 1, wherein said compiling comprises
 analyzing the object code segment for execution power level requirement, and determining
 whether an alternative object code segment with lower execution power level requirement is
 available.
- 4. (Previously presented) The method of claim 1, wherein said compiling comprises analyzing the object code segment for execution energy consumption, and determining whether an alternative object code segment with lower execution energy consumption is available.
- (Previously presented) The method of claim 1, wherein the method further comprises
 executing the non-native instructions for an initial number of times using an interpreter; and
 performing said compiling only after executing the non-native instructions for said initial

number of times.

6. (Previously presented) The method of claim 5, wherein the method further comprises

Applicant Initiated Telephonic Interview

Application No. 10/802,586 Attorney Docket No. 31146/MP1502

determining the initial number of times the received non-native instructions are to be executed using the interpreter before performing compiling the received non-native instructions.

- (Previously presented) The method of claim 6, wherein the method further comprises 7 monitoring said compiling for power level required to perform compilation; updating a current understanding of power level required for compilation; and determining the initial number of times received non-native instructions are to be executed using the interpreter before compiling the received non-native instructions, if said monitoring observes a power level required for compilation to be different from the current understanding.
- (Previously presented) The method of claim 6, wherein the method further comprises 8. monitoring said compiling for amount of energy required to perform an average compilation;

updating a current understanding of amount of energy required for an average compilation; and

determining the initial number of times received non-native instructions are to be executed using the interpreter before compiling the received non-native instructions, if said monitoring observes an amount of energy required for compilation to be different from the current understanding.

(Original) The method of claim 1, wherein the generated object code comprises a 9 plurality of native instructions, and the method further comprises

monitoring execution of the generated object code for power level required to execute the native instructions; and

undating power level requirements of selected ones of the native instructions if said monitoring observes power level requirements for the selected ones of the native instructions to be different from current understandings of the power level requirements of the selected ones of the native instructions.

Applicant Initiated Telephonic Interview

Application No. 10/802,586 Attorney Docket No. 31146/MP1502

10. (Original) The method of claim 1, wherein the generated object code comprises a plurality of native instructions, and the method further comprises

monitoring execution of the generated object code for amount of energy required to execute the native instructions; and

updating energy requirements of selected ones of the native instructions if said monitoring observes energy requirements for the selected ones of the native instructions to be different from current understandings of the energy requirements of the selected ones of the native instructions.

Application No. 10/802,586 Attorney Docket No. 31146/MP1502

(Currently amended) In an electronic device, a method of operation, comprising:
 receiving a plurality of non-native instructions;

determining an initial number of times to interpretively execute the non-native instructions based at least in part on one or more of an expected power level required or an expected energy required to perform a compile;

executing the non-native instructions for [[an]]the initial number of times using an interpreter; and

compiling the non-native instructions into object code after executing the received nonnative instructions for said initial number of times using the interpreter.

12. (Canceled)

13. (Previously presented) The method of claim 11, wherein the method further comprises monitoring said compiling for a compilation requirement employed in determining the initial number of times the received non-native instructions are to be executed using the interpreter before compiling; and

updating a current understanding of the compilation requirement if said monitoring observes the compilation requirement to be different from the current understanding.

14. (Original) The method of claim 11, wherein the generated object code comprises a plurality of native instructions, and the method further comprises monitoring execution of the generated object code for execution requirements of the native instructions; and

updating execution requirements of selected ones of the native instructions if said monitoring observes execution requirements for the selected ones of the native instructions to be different from current understandings of the execution requirements of the selected ones of the native instructions.

Marshall Gerstein Page 8

Applicant Initiated Telephonic Interview

6/11/2008 12:05:13 PM

Application No. 10/802,586 Attorney Docket No. 31146/MP1502

(Previously presented) An article of manufacture comprising:

Rachelle Hammerquist

a computer readable medium; and

a plurality of instructions designed to implement a compiler to compile non-native instructions to generate object code for the non-native instructions, and replace an object code segment with an alternative object code segment if the alternative object code segment improves at least a selected one of a power level required and an energy required to execute the generated object code.

- 16. (Previously presented) The article of claim 15, wherein said compiler analyzes the object code segment for execution power level requirement, and determines whether an alternative object code segment with lower execution power level requirement is available.
- 17. (Previously presented) The article of claim 15, wherein said compiler analyzes the object code segment for execution energy consumption, and determines whether an alternative object code segment with lower execution energy consumption is available.

Application No. 10/802,586 Attorney Docket No. 31146/MP1502

18. (Currently amended) An article of manufacture comprising:

Rachelle Hammerquist

a computer readable medium; and

a plurality of instructions designed to implement a runtime manager equipped to receive a plurality of non-native instructions, determine an initial number of times to interpretively execute the non-native instructions based at least in part on one or more of an expected power level required or an expected energy required to perform an average compile, execute the non-native instructions for [[an]]said initial number of times using an interpreter, and invoke a compiler to compile the non-native instructions into object code after executing the received non-native instructions for said initial number of times using the interpreter.

- (Canceled)
- 20. (Original) The article of claim 18, wherein the runtime manager is further equipped to monitor said compiling for a compilation requirement employed in determining the initial number of times received non-native instructions are to be executed before compiling; and update a current understanding of the compilation requirement if said monitoring observes the compilation requirement to be different from the current understanding.
- 21. (Original) The article of claim 18, wherein the generated object code comprises a plurality of native instructions, and the runtime manager is further equipped to monitor execution of the generated object code for execution requirements of the native instructions; and

update execution requirements of selected ones of the native instructions if said monitoring observes execution requirements for the selected ones of the native instructions to be different from current understandings of the execution requirements of the selected ones of the native instructions.

Application No. 10/802,586 Applicant Initiated Telephonic Interview Attorney Docket No. 31146/MP1502

Rachelle Hammerquist

(Previously presented) A system, comprising: 22.

a storage medium having stored therein a plurality of instructions implementing a compiler to compile non-native instructions to generate object code for the non-native instructions, and replace an object code segment with an alternative object code segment if the alternative object code segment improves at least a selected one of a power level required and an energy required to execute the generated object code; and

a processor coupled to the storage medium to execute the instructions implementing the compiler.

- (Previously presented) The system of claim 22, wherein said compiler analyzes the 23. object code segment for execution power level requirement, and determining whether an alternative object code segment with lower execution power level requirement is available.
- (Previously presented) The system of claim 22, wherein said compiler analyzes the 24. object code segment for execution energy consumption, and determining whether an alternative object code segment with lower execution energy consumption is available.
- (Original) The system of claim 22, wherein the apparatus further comprises a wireless 25. communication interface to receive the non-native instructions.

Application No. 10/802,586 Attorney Docket No. 31146/MP1502

26. (Currently amended) A system, comprising:

a communication interface to receive a plurality of non-native instructions;

Rachelle Hammerquist

a storage medium coupled to the communication interface, and having stored therein a plurality of instructions designed to implement a runtime manager equipped to determine an initial number of times to interpretively execute the non-native instructions based at least in part on one or more of an expected power level required or an expected energy required to perform an average compile, execute the received non-native instructions for [[an]]the initial number of times using an interpreter, and invoke a compiler to compile the non-native instructions into object code after executing the received non-native instructions for said initial number of times using the interpreter; and

a processor coupled to the storage medium to execute the instructions implementing the runtime manager.

27. (Canceled)

28. (Previously presented) The system of claim 26, wherein the runtime manager is further equipped to monitor said compiling for a compilation requirement employed in determining the initial number of times received non-native instructions are to be executed using the interpreter before compiling; and

update a current understanding of the compilation requirement if said monitoring observes the compilation requirement to be different from the current understanding.

(Original) The system of claim 26, wherein the generated object code comprises a
plurality of native instructions, and the runtime manager is further equipped to

monitor execution of the generated object code for execution requirements of the native instructions; and

update execution requirements of selected ones of the native instructions if said monitoring observes execution requirements for the selected ones of the native instructions to be different from current understandings of the execution requirements of the selected ones of the native instructions.

Applicant Initiated Telephonic Interview

6/11/2008 12:05:34 PM

Application No. 10/802,586 Attorney Docket No. 31146/MP1502

- (Original) The system of claim 26, wherein the communication interface is a wireless 30. communication interface.
- (New) The method of claim 11, wherein the method further comprises determining an 31. initial number of times to interpretively execute the non-native instructions based at least in part on a size of the non-native instructions.
- (New) The article of claim 18, wherein the runtime manager is further equipped to 32. determine an initial number of times to interpretively execute the non-native instructions based at least in part on a size of the non-native instructions.
- (New) The system of claim 26, wherein the runtime manager is further equipped to 33. determine an initial number of times to interpretively execute the non-native instructions based at least in part on a size of the non-native instructions.